

Accessory Catalogue

*Radiosurgery * Highfrequency Surgery
Anti Aging Treatment*



De Ceunynck
OPHTHALMOLOGY

www.dc-ophthalmology.com

info@dcmedical.be

Tel: 03 870 37 63

Table of Contents

Description	Category
Cutting an Coagulation Electrodes	1
<i>Special Electrodes for Cosmetic, Plastic and Reconstructive Surgery</i>	2
Sterile HF Single Use Electrodes in Packages with 5 pcs.	3
<i>Electrode Sets</i>	4
<i>Bipolar Electrodes</i>	5
<i>Bipolar Forceps</i>	6
<i>Additional Accessories Radiosurgery</i>	7



Illustration	Product description	Unit	Order No.
<p>Needle electrodes Fine wire 0.2 mm Shafts bendable Electrodes marked with * are part of the Standard Electrode Set No. 300 (see Electrode Sets Category 6)</p>			
 <p>Total length of insulated shaft: 35 mm</p>	<p>Multi-Tip Fine Wire Electrode No. 41* With adjustable wire for depth control Shaft angled Spare wire</p>	<p>2 pcs. 2 spare wires</p>	<p>EELBG041</p>
 <p>Total length of insulated shaft: 35 mm</p>	<p>Needle Electrode No. 6 Shaft straight</p>	<p>2 pcs.</p>	<p>EELBG006</p>
 <p>Total length of insulated shaft: 38,5 mm</p>	<p>Needle Electrode No. 2 Shaft angled</p>	<p>2 pcs.</p>	<p>EELBG002</p>
 <p>Total length of insulated shaft: 70 mm</p>	<p>Coated, bent needle electrode No. 63 Total length of needle 18 mm (12 mm insulated) Sharp needle</p>	<p>1 pc.</p>	<p>ELPRAE63</p>

Illustration	Product description	Unit	Order No.
<p>Ultrafine, surface coated micro incision needle <i>excellent suitable for very fine cuts and epilation</i> Fine wire 0.1 mm <i>Shafts rigid</i> Electrodes marked with * are part of the Standard Electrode Set No. 300 (see Electrode Sets Category 6)</p>			
 <p>New</p> <p>Total length of insulated shaft: 35 mm</p>	<p>Cutting electrode With ultrafine goldcoated wire Shaft straight</p>	2 pcs.	EL2090-2
 <p>New</p> <p>Total length of insulated shaft: 31 mm</p>	<p>Cutting electrode With ultrafine gold coated wire Shaft angled</p>	2 pcs.	EL2090A2
<p>Blade Electrodes <i>Thin blade for exact working</i> For Cutting, Coagulation and Preparation <i>Suitable for many surgical applications, e.g. for breast surgeries</i> <i>Shafts rigid</i></p>			
 <p>Total length of insulated shaft: 26 mm</p>	<p>Short blade electrode No. 37 Blade 19 mm Shaft straight</p>	1 pcs.	ELBLAT05
 <p>Total length of insulated shaft: 76,5 mm</p>	<p>Long blade electrode No. 10 Blade 19 mm Shaft straight</p>	1 pcs.	ELBLAT10

Illustration	Product description	Unit	Order No.
<p>Loop electrodes Fine wire 0.25 mm Shafts bendable Electrodes marked with * are part of the Standard Electrode Set No. 300 (see Electrode Sets Category 2)</p>			
 <p>Total length of insulated shaft: 36.5 mm</p>	<p>Loop electrode No. 15 narrow, oval loop electrode half-round tip Shaft angled</p>	2 pcs.	EELBG015
 <p>Total length of insulated shaft: 31 mm</p>	<p>Round loop electrode No. 44* Loop diameter 7 mm Shaft straight</p>	2 pcs.	ELROUN44
 <p>Total length of insulated shaft: 31 mm</p>	<p>Round loop electrode No. 24 Loop diameter 11 mm Shaft straight</p>	2 pcs.	ELROUN24
 <p>Total length of insulated shaft: 31 mm</p>	<p>Round loop electrode No. 43* Loop diameter 13 mm Shaft straight</p>	2 pcs.	ELROUN43


Illustration	Product description	Unit	Order No.
<p>Diamond electrodes Fine wire 0.25 mm Shafts bendable Electrodes marked with * are part of the Standard Electrode Set No. 300 (see Electrode Sets Category 2)</p>			
 <p>Total length of insulated shaft: 32 mm</p>	<p>Diamond electrode No. 53 Side length 5 mm Total diamond length 8 mm Shaft straight</p>	2 pcs.	ELDIAM53
 <p>Total length of insulated shaft: 35.5 mm</p>	<p>Diamond electrode No. 45* Side length 7 mm Total diamond length 11 mm Shaft straight</p>	2 pcs.	ELDIAM45
<p>Triangle electrodes Fine wire 0.25 mm Shafts Bendable Electrodes marked with * are part of the Standard Electrode Set No. 300 (see Electrode Sets Category 6)</p>			
 <p>Total length of insulated shaft: 31 mm</p>	<p>Triangle electrode No. 46* Side length 7 mm Shaft straight</p>	2 pcs.	ELTRIA46
 <p>Total length of insulated shaft: 32 mm</p>	<p>Triangle electrode No. 26 Side length 10 mm Shaft straight</p>	2 pcs.	ELTRIA26

Illustration	Product description	Unit	Order No.
<p>Rigid needle electrodes <i>Inflexible, very sharp, not bendable needle electrodes for quick and precise work, e.g. preparation of fatty tissue.</i> Length of needle 20 mm Shafts angled Shafts rigid Needle Electrode Set - see Electrode Sets Category 6</p>			
 <p>Total length of insulated shaft: 44 mm</p>	<p>Rigid needle electrode No. 37 Needle diameter 0.5 mm</p>	<p>2 pcs.</p>	<p>EELNAD37</p>
 <p>Total length of insulated shaft: 42.5 mm</p>	<p>Rigid needle electrode No. 38 Needle diameter 0.7 mm</p>	<p>2 pcs.</p>	<p>EELNAD38</p>
 <p>Total length of insulated shaft: 43.5 mm</p>	<p>Rigid needle electrode No. 39 Needle diameter 1 mm</p>	<p>2 pcs.</p>	<p>EELNAD39</p>

Illustration	Product description	Unit	Order No.
<p>Coagulation electrodes Electrodes for hemostasis Electrodes marked with * are part of the Standard Electrode Set No. 300 (see Category 2)</p>			
 <p>Total length of insulated shaft: 30 mm</p>	<p>Ball electrode No. 48* Ball diameter 2 mm Shaft bendable Shaft straight</p>	2 pcs.	EELNAD37
 <p>Total length of insulated shaft: 30 mm</p>	<p>Ball electrode No. 49 Ball diameter 3 mm Shaft bendable Shaft straight</p>	2 pcs.	EELNAD38
 <p>Total length of insulated shaft: 30 mm</p>	<p>Rigid, thick needle electrode No. 47* Diameter of needle 1.5 mm Length of Needle 10 mm Shaft angled Shaft rigid</p>	2 pcs.	EELNEED47
 <p>Total length of insulated shaft: 81 mm</p>	<p>Ball electrode No. 51 Ball diameter 5 mm Shaft rigid Shaft straight</p>	2 pcs.	ELBALL51

Coated, insulated finest wire needle electrodes

Used for treatment of teleangiectasien, spider veins, spider nevi, couperose and for epilation.
The wire is insulated almost to the tip of the electrode which prevents changes of the epidermis.



Total length of insulated shaft: 30 mm

Coated finest wire electrode No. 55

Finest wire 0.2 mm
Shaft rigid

2 pcs.

ELEPIL55



Total length of insulated shaft: 30 mm

Coated finest wire electrode No. 56

Fine wire 0.25 mm
Shaft rigid

2 pcs.

ELEPIL56

Finest wire needle electrodes

Used for treatment of teleangiectasien, spider veins, spider nevi, couperose,
for epilation and for radiosclerotherapy
Shafts rigid



Total length of insulated shaft: 34 mm

Uncoated sclerotherapy electrode No. 09

Finest wire 0.1 mm

2 pcs.

ELSKLE09




Total length of insulated shaft: 34 mm

Uncoated sclerotherapy electrode No. 10

Finest wire 0.2 mm

2 pcs.

ELSKLE10



Total length of insulated shaft: 34 mm

Uncoated sclerotherapy electrode No. 11

Finest wire 0.25 mm

2 pcs.

ELSKLE11

Sterile HF Single Use Electrodes in Packages with 5 pcs.

Illustration	Product description	Unit	Order No.
Sterile HF Single Use Electrodes in Packages with 5 pcs.			
	Cutting electrode No.02G with bent shaft and straight wire Total length of insulated shaft: 33.5 mm	5 pcs.	SELNA02G
	Loop electrode No.44G with straight shaft, loop diameter 7 mm Total length of insulated shaft: 33.5 mm	5 pcs.	SELRO44G
	Loop electrode No.43G with straight shaft, loop diameter 13 mm Total length of insulated shaft: 33.5 mm	5 pcs.	SELRO43G
	Diamond electrode No.45G with straight shaft, side length 7 mm Total length of insulated shaft: 33.5 mm	5 pcs.	SELDI45G
	Triangle electrode No.46G with straight shaft, side length 7 mm Total length of insulated shaft: 33.5 mm	5 pcs.	SELTR46G
	Blade electrode No.05G with straight shaft, Blade 19 mm Total length of insulated shaft: 33.5 mm	5 pcs.	SELBL05G
	Ball electrode No.48G with straight shaft, ball diameter 2 mm Total length of insulated shaft: 33.5 mm	5 pcs.	SELBA48G
	Ball electrode No.49G with straight shaft, ball diameter 3 mm Total length of insulated shaft: 33.5 mm	5 pcs.	SELBA49G



Illustration	Product description	Unit	Order No.
<p>Electrode sets</p>			
<p>The electrodes contained in the sets can be purchased individually. See Category with description. (Exception: The electrodes of the ELVARSET set cannot be purchased individually)</p>			
	<p>Standard Electrode Set No. 300 Cutting and Coagulation electrodes set All shafts bendable</p> <p>1 Multi-Tip No. 41 Description see Cat. 1 1 large loop No. 43 Description see Cat. 1 1 small loop No. 44 Description see Cat. 1 1 diamond No. 45 Description see Cat. 1 1 triangle No. 46 Description see Cat. 1 1 thick needle No. 47 Description see Cat. 1 1 ball No. 48 Description see Cat. 1</p>	<p>Set of 7 pcs.</p>	<p>ELBU0300</p>
	<p>Rigid needle electrode set All shafts bendable Length of needle 20 mm</p> <p>1 Needle electrode No. 37 Description see Cat. 1 1 Needle electrode No. 38 Description see Cat. 1 1 Needle electrode No. 39 Description see Cat. 1</p> <p>Especially suitable for the preparation of fatty tissue</p>	<p>Set of 3 pcs.</p>	<p>MEDNADEL</p>



Illustration	Product description	Unit	Order No.
	<p>Sclerotherapy Electrode Set Uncoated fine wire electrodes All shafts rigid</p> <p>1 Sclerotherapy electrode No. 9 Description see Cat. 5 1 Sclerotherapy electrode No. 10 Description see Cat. 5 1 Sclerotherapy electrode No. 11 Description see Cat. 5</p> <p>Used for treatment of teleangiectasia, spider veins and spider nevi.</p>	<p>Set of 3 pcs.</p>	<p>ELSKLESA</p>
	<p>Finest wire Electrode Set Coated, insulated finest wire needle electrodes All shafts rigid</p> <p>1 Finest wire electrode No. 55 Description see Cat. 5 1 Finest wire electrode No. 56 Description see Cat. 5</p>	<p>Set of 2 pcs.</p>	<p>ELEPISE2</p>
	<p>ENT Electrode Set All shafts bendable</p> <p>1 ENT needle electrode No. 32 Description see Cat. 3 1 ENT loop electrode No. 35 Description see Cat. 3 1 ENT ball electrode No. 34 Description see Cat. 3</p>	<p>Set of 3 pcs.</p>	<p>ELHNOSET</p>


Illustration	Product description	Unit	Order No.
	<p>Varicose Vein Electrode Set With solid, coated steel core and uncoated, slanted steel tip, which protects the soft tissue. <i>All shafts rigid</i></p> <p>1 Varicose vein electrode No. 57 Needle diameter 0.3 mm Length of needle 14 mm Coating 10 mm</p> <p>1 Varicose vein electrode No. 58 Needle diameter of 0.35 mm Length of needle 18 mm Coating 14 mm</p> <p><i>For vein sclerosis.</i></p>	Set of 2 pcs.	ELVARSET
	<p>Disc Electrode Set All shafts bendable</p> <p>1 Disc electrode No. 80 Description see Cat. 4 1 Disc electrode No. 85 Description see Cat. 4</p>	Set of 2 pcs.	ELDISSET

Illustration	Product description	Unit	Order No.
Bipolar needle electrode Shafts rigid			
	<p>Bipolar needle electrode for volume reduction of the nasal concha</p> <p>Bend at the bottom, insulated needles, ergonomic plastic handle</p> <p>Needles 16 mm – isolation 6.5 mm Bent after 97 mm – angle 20 degree</p>	1 pc.	ELBICO03
	<p>Bipolar needle electrode for volume reduction of the soft palate and the lingual tonsils</p> <p>Bend at the top, isolated needles, ergonomic plastic handle</p> <p>Needles 19.5 mm – isolation 9.5 mm Bent after 169 mm – angle 55 degree</p>	1 pc.	ELBISN04

Illustration	Product description	Unit	Order No.
Bipolar forceps with flat Euro plug Short, straight			
	Standard Total length of forceps 110 mm Width of tip 0.5 mm	1 pc.	RS600520
	Standard Total length of forceps 110 mm Needle Tip	1 pc.	RS600519
	Angled tip Total length of forceps 110 mm Angled tip Width of tip 0.5 mm	1 pc.	RS600521
	Angled tip Total length of forceps 110 mm Angled tip Needle Tip	1 pc.	RS600523

Illustration	Product description	Unit	Order No.
Bipolar forceps with flat Euro plug Long, straight			
	Total length of forceps 160 mm Width of tip 1 mm	1 pc.	RS600539
	Total length of forceps 160 mm Width of tip 2 mm	1 pc.	RS600527
	Total length of forceps 160 mm Needle tip	1 pc.	RS600511
	Total length of forceps 195 mm Width of tip 1 mm	1 pc.	RS600540
	Total length of forceps 195 mm Width of tip 2 mm	1 pc.	RS600529
	Total length of forceps 195 mm Width of tip 2 mm (Tip with diamond grooves)	1 pc.	RS600557
	Total length of forceps 220 mm Width of tip 1 mm	1 pc.	RS600541
	Total length of forceps 220 mm Width of tip 2 mm	1 pc.	RS600530

Illustration	Product description	Unit	Order No.
<p>Bipolar forceps with flat Euro plug Long, straight, angled tip</p>			
	<p>Total length of forceps 160 mm Width of tip 0.5 mm</p>	1 pc.	RS600513
	<p>Total length of forceps 160 mm Width of tip 1 mm</p>	1 pc.	RS600514
	<p>Total length of forceps 160 mm Needle tip</p>	1 pc.	RS600536
	<p>Total length of forceps 195 mm Width of tip 1 mm</p>	1 pc.	RS600501
	<p>Total length of forceps 195 mm Width of tip 2 mm</p>	1 pc.	RS600507
	<p>Total length of forceps 195 mm Width of tip 2 mm (Tip with diamond grooves)</p>	1 pc.	RS600558
	<p>Total length of forceps 220 mm Width of tip 1 mm</p>	1 pc.	RS600524

Illustration	Product description	Unit	Order No
Non-stick bipolar forceps with flat Euro plug Straight /No sticking of biological tissue			
	Total length of forceps 110 mm Length of tip 6 mm Width of tip 0.5 mm	1 pc.	RS607020
	Total length of forceps 160 mm Length of tip 8 mm Width of tip 1 mm	1 pc.	RS607039
	Total length of forceps 160 mm Length of tip 8 mm Width of tip 2 mm	1 pc.	RS607027
	Total length of forceps 195 mm Length of tip 8 mm Width of tip 1 mm	1 pc.	RS607040
	Total length of forceps 195 mm Length of tip 8 mm Width of tip 2 mm	1 pc.	RS607029
	Total length of forceps 220 mm Length of tip 8 mm Width of tip 2 mm	1 pc.	RS607030

Illustration	Product description	Unit	Order No.
Non-stick bipolar forceps with flat Euro plug Angled / No sticking of biological tissue			
	Total length of forceps 160 mm Length of tip 6 mm Width of tip 1 mm	1 pc.	RS607014
	Total length of forceps 195 mm Length of tip 8 mm Width of tip 1 mm	1 pc.	RS607001
	Total length of forceps 195 mm Length of tip 8 mm Width of tip 2 mm	1 pc.	RS607007
Non-stick bipolar forceps / bayonett-shaped with flat Euro plug No sticking of biological tissue			
	Total length of forceps 195 mm Length of tip 6 mm Width of tip 1 mm	1 pc.	RS607002
	upwards angled tip Total length of forceps 220 mm Length of tip 6 mm Width of tip 2 mm	1 pc.	RS607063

Illustration	Product description	Unit	Order No.
Additional Accessories Radiosurgery			
	<p>Neutral electrode for radioSURG® 2200 Made of conductive silicone rubber 1.50 x 250 mm 0.5 m connection cable</p>	1 pc.	RS242003
	<p>Neutral electrode cable for radioSURG® 2200 with flat plug for connection to the neutral electrode Length 3 m</p>	1 pc.	RS295030
	<p>Electrode rack Stainless steel jar with lid and removable rack for 12 electrodes with shaft diameter 1.6 mm Diameter 80 mm Height 85 mm Jar, lid and rack sterilizable</p>	1 pc.	ELST0001
	<p>Foot pedal for radioSURG® 2200 not autoclavable Length of cable 2.5 m</p> <p>Foot pedal for radioSURG® 2200 not autoclavable Length of cable 4.0 m</p>	1 pc.	RSFUSS01
		1 pc.	RSFUSS02

Illustration	Product description	Unit	Order No.
	<p>Foot pedal for radioSURG® 2200 (PT/PTA) not autoclavable Length of cable 3 m With foot switch to decrease and increase the output power and to change the output modus</p>	1 pc.	RSFUSS03
	<p>Self-adhesive disposable neutral electrode not autoclavable For adults and children (5 kg and more) Contact area 105 cm² Non- divided, without cable</p>	50 pcs.	RS811131
	<p>Self-adhesive disposable neutral electrode for radioSURG® 2200 (PT/PTA) not autoclavable For adults and children (5 kg and more) Contact area 105 cm² divided, without cable</p>	50 pcs.	RSGETNEU
	<p>Cable for self-adhesive disposable neutral electrodes Length 3.0 m With plug to the unit and double-pinned clamp connection to the disposable neutral electrode</p> <p>Important! Please ensure that only Meyer-Haake's disposable neutral electrodes and cables are used. Using other products may lead to problems for which we will not be held liable.</p>	1 pc.	RS294030


Illustration	Product description	Unit	Order No.
	<p><i>Autoclavable holder for hand pieces and bipolar cable of the radioSURG® 2200 with magnets to affix it to the unit or other metal surfaces</i></p>	1 pc.	RSHAMAG1
	<p><i>Bipolar cable for radioSURG® 2200 Length 2.5 m</i></p>	1 pc.	RSBIPKAB
	<p><i>Bipolar cable for radioSURG® 2200 for US bipolar forceps Length 2.5 m</i></p>	1 pc.	RSBIPKUS
	<p><i>Bipolar cable for radioSURG® 2200 for bipolar scissors Length 3 m</i></p>	1 pc.	RSBPSKAB

Illustration	Product description	Unit	Order No.
	<p>Hand piece for cutting for radioSURG® 2200 with yellow button Autoclavable - Length of cable 2.5 m</p>	<p>1 pc.</p>	<p>RSGELB01</p>
	<p>Hand piece for coagulation for radioSURG® 2200 with blue button Autoclavable- Length of cable 2.5 m</p>	<p>1 pc.</p>	<p>RSBLAU01</p>
	<p>Special hand piece for radioSURG® 2200 and other high frequency surgical units for radioSURG® 2200 for cutting or coagulation - Without finger-switch Must be activated via foot pedal</p>	<p>1 pc.</p>	<p>RS219030</p>
<p>•for BIO-CONE (see category 4) and other electrodes shaft diameter of 2.4 mm Length of cable 3 m</p>		<p>1 pc.</p>	<p>RS219045</p>
<p>•for BIO-CONE (see category 4) and other electrodes shaft diameter of 2.4 mm Length of cable 4.5 m</p>		<p>1 pc.</p>	<p>RSH92097</p>
<p>with screw cap Must be activated via foot pedal - for electrodes with shaft diameter of 1.6 mm, Length of cable 3m</p>		<p>1 pc.</p>	<p>RSH92097</p>